CO-OP

SAFETY DATA SHEET

1. Identification

Product identifier SONIC MP GEAR OIL

Other means of identification

Product code 183

Synonyms SAE GRADES 75W90, 80W90, 85W140

Recommended use Gear lubricant. Recommended restrictionsNone known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Consumers' Co-operative Refineries Limited

Address P.O. Box 260; 9th Avenue North

Regina, SK S4P 3A1 Canada

Telephone (306) 719-4353

Supplier Consumers' Co-operative Refineries Limited

Address P.O. Box 260; 9th Avenue North

Regina, SK S4P 3A1 Canada

Telephone (306) 719-4353

24-Hour emergency

telephone

(613) 996-6666 - Canutec

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from other materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

The components are not hazardous or are below required disclosure limits.

4. First-aid measures

Inhalation If fumes or combustion products are inhaled move victim to fresh air. Get medical attention if any

discomfort occurs.

Skin contact Remove contaminated clothing. Wash with soap and water. Get medical attention if irritation

develops and persists. Wash contaminated clothing before reuse.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Get medical attention if symptoms occur.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an

unconscious person. Get medical attention if any discomfort occurs.

SONIC MP GEAR OIL SDS Canada

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). First aid personnel must be aware of own risk during rescue.

5. Fire-fighting measures

Suitable extinguishing media

Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

By heating and fire, toxic vapours/gases may be formed.

Special protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods

Move container from fire area if it can be done without risk. Cool containers exposed to flames with

water until well after the fire is out.

Material will burn in a fire. General fire hazards

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. In case of spills, beware of slippery floors and surfaces. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapours and contact with skin and eyes. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean contaminated area with oil-removing material.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment, Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid direct contact with eyes and prolonged skin exposure. Observe good industrial hygiene practices. Use appropriate Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep in a cool, well-ventilated place. Store away from incompatible materials (See Section 10).

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

No exposure standards allocated.

Appropriate engineering controls

ACGIH Threshold Limit Values for mineral oil mist:

The 8-Hour Exposure Limit (TLV-TWA) is 5 mg/m3. The 15-minute STEL is 10 mg/m3.

Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Provide access to washing facilities including soap, skin cleanser and fatty cream.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear approved safety goggles.

Skin protection

Wear protective gloves. Suitable gloves can be recommended by the glove supplier. Hand protection

SONIC MP GEAR OIL SDS Canada Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

No personal respiratory protective equipment normally required. If engineering controls do not Respiratory protection

maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Selection and use of respiratory protective equipment should be in accordance with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA

Standard Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Oily liquid. Form Brown. Colour Odour Mild.

Odour threshold Not available. Not available.

-15 - -30 °C (5 - -22 °F) Melting point/freezing point

Initial boiling point and boiling

range

> 147.0 °C (> 296.6 °F) Open cup Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

Not available.

(%)

Flammability limit - upper

Explosive limit - lower (%) Not available.

Explosive limit - upper

Not available.

(%)

Not available. Vapour pressure Not available. Vapour density Relative density Not available.

Solubility(ies)

Solubility (water) Partially soluble in cold and hot water.

Partition coefficient Not available.

(n-octanol/water)

413 °C (775.4 °F) **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Oxidising materials. Acids.

SONIC MP GEAR OIL SDS Canada Hazardous decomposition products

Thermal decomposition of this product can generate carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged or excessive inhalation may cause respiratory tract irritation.

Skin contact Prolonged skin contact may cause temporary irritation. **Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause

temporary irritation.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeDirect contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Chronic effects are not expected when this product is used as intended.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Oil spills are generally hazardous to the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil The product is slightly soluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsDispose in accordance with applicable federal, state, and local regulations. Do not incinerate

sealed containers. Do not allow this material to drain into sewers/water supplies.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

used.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty packaging should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

SONIC MP GEAR OIL SDS Canada

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information

Issue date 19-January-2017

Revision date Version No. 01

SONIC MP GEAR OIL SDS Canada 5/6

909878 Version #: 01 Revision date: -Issue date: 19-January-2017

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Further information

Disclaimer

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SONIC MP GEAR OIL SDS Canada