

SAFETY DATA SHEET

1. Identification

Product identifier SONIC TRANS-HYD. PLUS

Other means of identification

Product code 980

Recommended use Transmission and hydraulic oil.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Consumers' Co-operative Refineries Limited

Address P.O. Box 260; 9th Avenue North

Regina, SK S4P 3A1 Canada

Telephone(306) 721-5353 -or- (306) 719-4353SupplierFederated Co-operatives LimitedAddressP.O. Box 1050, 401 - 22nd Street East

Saskatoon SK S7K 3M9 Canada

Telephone (306) 244-3447

24 Hour Emergency (613) 996-666

Telephone

(613) 996-6666 - Canutec

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from other materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	90-100

4. First-aid measures

Inhalation If fumes or combustion products are inhaled move victim to fresh air. Get medical attention if any

discomfort occurs.

Skin contact Remove contaminated clothing. Wash with soap and water. Get medical attention if irritation

develops and persists. Wash contaminated clothing before reuse.

Eye contact Remove contact lenses, if present and easy to do. Flush thoroughly with water. If irritation occurs,

get medical assistance.

SONIC TRANS-HYD. PLUS SDS US

910069 Version #: 01 Revision date: - Issue date: 09-June-2015

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an

unconscious person. Get medical attention if any discomfort occurs.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). First aid personnel must be aware of own risk during rescue.

5. Fire-fighting measures

Suitable extinguishing media

Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

By heating and fire, toxic vapors/gases may be formed.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Move container from fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out.

General fire hazards Material will burn in a fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. In case of spills, beware of slippery floors and surfaces. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors and contact with skin and eyes. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean contaminated area with oil-removing material.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid direct contact with eyes and prolonged skin exposure. Observe good industrial hygiene practices. Use appropriate Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep in a cool, well-ventilated place. Store away from incompatible materials (See Section 10).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	

SONIC TRANS-HYD. PLUS SDS US

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value Form	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3 Mist.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated.

Appropriate engineering ACGIH Threshold Limit Values for mineral oil mist:

controls The 8-Hour Exposure Limit (TLV-TWA) is 5 mg/m3

The 8-Hour Exposure Limit (TLV-TWA) is 5 mg/m3. The 15-minute STEL is 10 mg/m3. Provide adequate ventilation and minimize the risk of inhalation of vapors and oil mist. Provide

access to washing facilities including soap, skin cleanser and fatty cream.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety goggles.

Skin protection

Hand protectionOtherWear protective gloves. Neoprene or nitrile gloves are recommended.Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protectionNo personal respiratory protective equipment normally required. If engineering controls do not

maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved

respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Oily liquid.
Physical state Liquid.
Form Liquid.
Color Brown.
Odor Mild.

Odor threshold

pH

Not available.

Melting point/freezing point

-38.2 °F (-39 °C)

Initial boiling point and boiling

Not available.

range

Flash point 401.0 °F (205.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Partially soluble in cold and hot water.

Partition coefficient Not available.

(n-octanol/water)

SONIC TRANS-HYD. PLUS SDS US

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

Hazardous decomposition

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials None known.

products

Thermal decomposition of this product can generate carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

Prolonged or excessive inhalation may cause respiratory tract irritation. Inhalation

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Prolonged skin contact may cause

temporary irritation.

Information on toxicological effects

Not expected to be acutely toxic. **Acute toxicity**

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Chronic effects are not expected when this product is used as intended.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Oil spills are generally hazardous to the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available on bioaccumulation.

This product is slightly water soluble and may disperse in soil. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SDS US SONIC TRANS-HYD. PLUS 4/6

13. Disposal considerations

Disposal instructionsDispose in accordance with applicable federal, state, and local regulations. Do not incinerate

sealed containers. Do not allow this material to drain into sewers/water supplies.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

used

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty packaging should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulationsThis product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

SONIC TRANS-HYD. PLUS SDS US

US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date 09-June-2015

Revision date - 01

NFPA ratings



Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SONIC TRANS-HYD. PLUS SDS US

Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).